

## Roller Chain & Parts

Part Number	Description	Quantity
04B-1	6mm roller chain british standard	50
04B-1CONN	6mm connecting link british standard	40
04B-1HALF	mm half link british standard	40
05B-1	8mm roller chain british standard	50
05B-1CONN	8mm connecting link british standard	14
05B-1HALF	8mm chalf link british standard	12
05B-1LINK&HALF	8mm link & half british standard	40
06B-1	3/8" roller chain british standard	95
06B-1CONN	3/8" connecting link british standard	18
06B-1HALF	3/8" half link british standard	13
06B-1LINK&HALF	3/8" link & half british standard	70
06B-1SS	3/8" stainless roller chain british standard	45
06B-1SSCONN	3/8" stainless connecting link british standard	19
06B-1SSHALF	3/8" stainless half link british standard	29
06B-1SSL&H	3/8" stainless link & half british standard	10
06B-2	3/8" duplex roller chain british standard	27
06B-2CONN	3/8" duplex connecting link british standard	12
06B-2HALF	3/8" duplex half link british standard	17
06B-2LINK&HALF	3/8" duplex link & half british standard	93
06B-2SS	3/8" stainless duplex roller chain british standard	17
06B-2SSCONN	3/8" stainless duplex connecting link british standard	14
06B-2SSHALF	3/8" stainless duplex half link british standard	14
06B-3	3/8" triplex roller chain british standard	39
06B-3CONN	3/8" triplex connecting link british standard	58
06B-3HALF	3/8" triplex half link british standard	14
06B-3LINK&HALF	3/8" triplex link & half british standard	12
06B-3SS	3/8" stainless triplex roller chain british standard	25
06B-3SSCONN	3/8" stainless triplex connecting link british standard	8
06B-3SSHALF	3/8" stainless triplex half ling british standard	8
083	1/2" roller chain narrow type british standard	145
083CONN	1/2" connecting link narrow type british standard	10
084	1/2" roller chain narrow type british standard	17
084CONN	1/2" connecting link narrow type british standard	2
08B-1	1/2" roller chainbritish standard	166
08B-1CONN	1/2" connecting link british standard	54
08B-1CR	1/2" corrosion resistant roller chain british standard	10

08B-1HALF	1/2" half link british standard	57
08B-1L&HD2	1/2 corrosion resistant link & half british standard	5
08B-1LINK&HALF	1/2" link & half british standard	435
08B-1SS	1/2" stainless roller chain british standard	23
08B-1SSCONN	1/2" stainless connecting link british standard	46
08B-1SSHALF	1/2" stainless half link british standard	17
08B-2	1/2" duplex roller chain british standard	50
08B-2CONN	1/2" duplex connecting link british standard	47
08B-2HALF	1/2" duplex half link british standard	16
08B-2LINK&HALF	1/2" duplex link & half british standard	34
08B-2SS	1/2" stainless duplex roller chain british standard	21
08B-2SSCONN	1/2" stainless duplex connecting link british standard	9
08B-2SSHALF	1/2" stainless duplex half link british standard	6
08B-3	1/2" triplex roller chain british standard	116
08B-3CONN	1/2" triplex connecting link british standard	41
08B-3HALF	1/2" triplex half link british standard	34
08B-3LINK&HALF	1/2" triplex link & half british standard	60
100-1	1.1/4" roller chain american standard	15
100-1CONN	1.1/4" connecting link american standard	10
100-1HALF	1.1/4" half link american standard	6
100-2	1.1/4" duplex roller chain american standard	22
100-2CONN	1.1/4" duplex connecting link american standard	4
100-2HALF	1.1/4" duplex half link american standard	2
100-3CONN	1.1/4" triplex connecting link american standard	86
100H-1	1.1/4" heavy duty roller chain american standard	43
100H-1CONN	1.1/4" heavy duty connecting link american standard	10
100H-1CONNSUGI	1.1/4" connecting link american standard sugiyama	2
100H-1HALF	1.1/4" heavy duty half link american standard	6
100H-1HALFSUGI	1.1/4" heavy duty half link american standard sugiyama	1
10B-1	5/8" roller chain british standard	106
10B-1CONN	5/8" connecting link british standard	38
10B-1HALF	5/8" half link british standard	39
10B-1INNER LINK	5/8" inner link british standard	73
10B-1LINK&HALF	5/8" link & half british standard	30
10B-1LINK&HALFC	5/8" corrosion resistant link & half british standard	18
10B-1SS	5/8" stainless roller chain british standard	51
10B-1SSCONN	5/8" stainless connecting link british standard	26
10B-1SSHALF	5/8" stainless half link british standard	13

10B-2	5/8" duplex roller chain british standard	89
10B-2CONN	5/8" duplex connecting link british standard	20
10B-2HALF	5/8" duplex half link british standard	15
10B-2LINK&HALF	5/8" duplex link & half british standard	52
10B-3	5/8" triplex roller chain british standard	34
10B-3CONN	5/8" triplex connecting link british standard	79
10B-3HALF	5/8" triplex half link british standard	5
120-1	1.1/2" roller chain american standard	46
120-1CONN	1.1/2" connecting link american standard	4
120-1HALF	1.1/2" half link american standard	4
120-2	1.1/2" duplex roller chain american standard	27
120-2CONN	1.1/2" duplex connecting link american standard	4
120-2HALF	1.1/2" duplex half link american standard	2
120H-1	1.1/2" heavy duty roller chain american standard	34
120H-1CONN	1.1/2" heavy duty connecting link american standard	6
120H-1HALF	1.1/2" heavy duty half link american standard	7
12B-1	3/4" roller chain british standard	84
12B-1CONN	3/4" connecting link british standard	22
12B-1HALF	3/4" half link british standard	17
12B-1KCONN	3/4" connecting link with extra plate british standard	22
12B-1LINK&HALF	3/4" link & half british standard	370
12B-1SS	3/4" stainless roller chain british standard	14
12B-1SSCONN	3/4" stainless connecting link british standard	10
12B-1SSHALF	3/4" stainless half link british standard	14
12B-1SSINNER	3/4" stainless inner link british standard	20
12B-1-SYNERGY	3/4" stainless roller chain british standand synergy	25
12B-2	3/4" duplex roller chain british standard	34
12B-2CONN	3/4" duplexconnecting link british standard	20
12B-2HALF	3/4" duplex half link british standard	13
12B-2LINK&HALF	3/4" duplex link & half british standard	139
12B-2SSHALF	3/4" stainless duplex half link british standard	4
12B-3	3/4" triplex roller chain british standard	35
12B-3CONN	3/4" triplex connecting link british standard	7
12B-3HALF	3/4" triplex half link british standard	5
12B-3LINK&HALF	3/4" triplex link & half british standard	24
12RHALF	3/4" simplex half link british standard Howard rotavotor special	6
140-1	1.3/4" roller chain american standard	31
140-1CONN	1.3/4" connecting link american standard	7

140-1HALF	1.3/4" half link american standard	3
140-1INNER	1.3/4" inner link american standard	2
140H-1	1.3/4" heavy roller chain american standard	17
140H-1CONN	1.3/4" heavy duty connecting link american standard	3
140H-1HALF	1.3/4" heavy duty half link american standard	5
160-1	2" roller chain american standard	17
160-1CONN	2" connecting link american standard	8
160-1HALF	2" half link american standard	4
160-2	2" duplex roller chain american standard	17
160-2CONN	2" duplex connecting link american standard	3
160-2HALF	2" duplex half link american standard	2
160H-1CONN	2" heavy duty connecting link american standard	29
160H-1HALF	2" heavy duty half link american standard	2
16B-1	1" roller chain british standard	86
16B-1CONN	1" connecting link british standard	19
16B-1CONNSPLIT	1" connecting link split pin type british standard	20
16B-1GRIMME	1" roller chain (212 pitches GRIMME) british standard	2
16B-1HALF	1" half link british standard	16
16B-1LINK&HALF	1" link & half british standard	2
16B-1SS	1" stainless roller chain british standard	17
16B-1SSCONN	1" stainless connecting link british standard	10
16B-1SSHALF	1" stainless half link british standard	5
16B-2	1" duplex roller chain british standard	20
16B-2CONN	1" duplex connecting link british standard	9
16B-2CONNSUGI	1" duplex connecting link british standard SUGIYAMA	5
16B-2HALF	1" duplex half link british standard	34
16B-2HALFSUGI	1" duplex half link SUGIYAMA	3
16B-2SSHALF	1" stainless duplex half link british standard	4
16B-2SUGI	1" duplex roller chain british standard SUGIYAMA	8
16B-3	1" triplex roller chain british standard	24
16B-3CONN	1" triplex connecting link british standard	8
16B-3HALF	1" triplex half link british standard	5
16BCONNSS	1" stainless duplex connecting link british standard	6
198028	1.1/2" roller chain hollow pin	68
2040	1" roller chain double pitch	34
2040CONN	1" connecting link double pitch	3
2040HALF	1" half link double pitch	10
2040HPCONN	1" connecting link hollow pin double pitch	18

20B-1	1.1/4" roller chain british standard	85
20B-1CONN	1.1/4" connecting link british standard	12
20B-1HALF	1.1/4" half link british standard	10
20B-2	1.1/4" duplex roller chain british standard	26
20B-2CONN	1.1/4" duplex connecting link british standard	6
20B-2HALF	1.1/4" duplex half link british standard	5
20B-3	1.1/4" triplex roller chain british standard	17
20B-3CONN	1.1/4" triplex connecting link british standard	4
20B-3HALF	1.1/4" triplex half link british standard	4
210B	1.1/4" roller chain din/iso standard	17
210BCONN	1.1/4" connecting link din/iso standard	19
210BHALF	1.1/4" half link din/iso standard	19
24B-1	1.1/2" roller chain british standard	29
24B-1CONN	1.1/2" connecting link british standard	6
24B-1HALF	1.1/2" half link british standard	9
24B-1M1CONN	1.1/2" connecting link british standard M1 attachment both sides	4
24B-2	1.1/2" duplex roller chain british standard	23
24B-2CONN	1.1/2" duplex connecting link british standard	5
24B-2HALF	1.1/2" duplex half link british standard	6
24B-3	1.1/2" triplex roller chain british standard	17
24B-3CONN	1.1/2" triplex connecting link british standard	4
24B-3HALF	1.1/2" triplex half link british standard	4
25-1	1/4" roller chain american standard	116
25-1CONN	1/4" connecting link american standard	127
25-1HALF	1/4" half link american standard	118
25-1SS	1/4" stainless roller chain american standard	8
25H-1	1/4" heavy duty roller chain american standard	134
25H-1CONN	1/4" heavy duty connecting link american standard	10
260RZCONN	260R HOLLOW PIN CONN LINK ZINC PLATED	6
28B-1	1.3/4" roller chain british standard	17
28B-1CONN	1.3/4" connecting link british standard	6
28B-1HALF	1.3/4" half link british standard	6
32B-1	2" roller chain british standard	31
32B-1CONN	2" connecting link british standard	20
32B-1HALF	2" half link british standard	5
32B-2CONN	2" connecting link british standard	2
32B-2HALF	2" half link british standard	2
35-1	3/8" roller chain american standard	30

35-1CONN	3/8" connecting link american standard	19
35-1HALF	3/8" half link american standard	11
35-1LINK&HALF	3/8" link & half american standard	133
35-2	3/8" duplex roller chain american standard	12
35-2CONN	3/8" duplex connecting link american standard	2
35-2HALF	3/8" duplex half link american standard	8
40-1	1/2" roller chain american standard	106
40-1CONN	1/2" connecting link american standard	27
40-1HALF	1/2" half link american standard	24
40-1HALFSS	1/2" stainless half link british standard	6
40-1LINK/HALF	1/2" link & half american standard	144
40-1SS	1/2" stainless roller chain american standard	139
40-1SSCONN	1/2" stainless connecting link american standard	7
40-2	1/2" duplex roller chain american standard	19
40-2CONN	1/2" duplex connecting link american standard	15
40-2HALF	1/2" duplex half link american standard	14
40-3	1/2" triplex roller chain american standard	12
40-3CONN	1/2" triplex connecting link american standard	10
40-3HALF	1/2" triplex half link american standard	10
40HPCONN	1/2" hollow pin roller chain	10
41	1/2" roller chain american standard	34
410	1/2" roller chain american standard	106
410CONN	1/2" connecting link american standard	54
410CONNSS	1/2" stainless connecting link american standard	21
410HALF	1/2" half link american standard	48
410HALFSS	1/2" stainless half link american standard	10
410SS	1/2" stainless roller chain american standard	17
41-1	1/2" roller chain american standard	75
41-1CONN	1/2" connecting link american standard	17
41-1HALF	1/2" half link american standard	46
41-1SS	1/2" stainless roller chain american standard	34
41-1SSCONN	1/2" stainless connecting link american standard	16
41-1SSHALF	1/2" stainless half link american standard	12
415	1/2" roller chain american standard	21
415B	1/2" roller chain american standard	418
415BCONN	1/2" connecting link american standard	65
415BHALF	1/2" half link american standard	47
415CONN	1/2" connecting link american standard	36

415HALF	1/2" half link american standard	34
415LINK&HALF	1/2" link & half american standard	6
420-1	1/2" roller chain american standard	57
420CONN	1/2" connecting link american standard	14
420HALF	1/2" half link american standard	22
423	1/2" roller chain american standard	14
423CONN	1/2" connecting link american standard	3
445CONN	1/2" connecting link american standard	3
445LINK&HALF	1/2" link and half american standard	2
454	1/2" roller chain american standard	5
454CONN	1/2" connecting link american standard	16
454HALF	1/2" half link american standard	17
454WIPP	1/2" roller chain american standard (WIPPERMAN)	5
460	1/2" roller chain american standard	19
460CONN	1/2" connecting link american standard	9
460HALF	1/2" half link american standard	4
460LINK&HALF	1/2" link & half american standard	6
50-1	5/8" roller chain american standard	97
50-1CONN	5/8" connecting link american standard	26
50-1HALF	5/8" half link american standard	19
50-1HALFSS	5/8" stainless half link american standard	5
50-1HP	5/8" roller chain hollow pin american standard	60
50-1LINK & HALF	5/8" link & half american standard	128
50-1SS	5/8" stainless roller chain american standard	6
50-1SSCONN	5/8" stainless connecting link american standard	5
50-2	5/8" duplex roller chain american standard	44
50-2CONN	5/8" duplex connecting link american standard	13
50-2HALF	5/8" duplex half link american standard	10
50-2LINK&HALF	5/8" duplex link & half american standard	78
50-3	5/8" triplex roller chain american standard	54
50-3CONN	5/8" triplex connecting link american standard	5
50-3HALF	5/8" triplex half link american standard	2
50H-1	5/8" heavy duty roller chain american standard	84
50H-1CONN	5/8" heavy duty connecting link american standard	22
50H-1HALF	5/8" heavy duty half link american standard	18
520	5/8" roller chain american standard	45
520CONN	5/8" connecting link american standard	27
520HALF	5/8" half link american standard	15

60-1	3/4" roller chain american standard	64
60-1CONN	3/4" connecting link american standard	24
60-1HALF	3/4" half link american standard	12
60-1HP	3/4" roller chain hollow pin american standard	50
60-1LINK&HALF	3/4" link & half american standard	76
60-2	3/4" duplex roller chain american standard	23
60-2CONN	3/4" duplex connecting link american standard	21
60-2HALF	3/4" duplex half link american standard	25
60-3	3/4" triplex roller chain american standard	17
60-3CONN	3/4" triplex connecting link american standard	13
60-3HALF	3/4" triplex half link american standard	15
60H-1	3/4" heavy duty roller chain american standard	88
60H-1CONN	3/4" heavy duty connecting link american standard	18
60H-1HALF	3/4" heavy duty half link american standard	12
80-1	1" roller chain american standard	94
80-1CONN	1" connecting link american standard	22
80-1HALF	1" half link american standard	15
80-1HALFSUGI	1" half link american standard (SUGIYAMA)	4
80-1LINK&HALF	1" link & half american standard	138
80-2	1" duplex roller chain american standard	27
80-2CONN	1" duplex connecting link american standard	8
80-2HALF	1" duplex half link american	5
80-3CONN	1" triplex connecting link american standard	11
80H-1	1" heavy duty roller chain american standard	51
80H-1CONN	1" heavy duty connecting link american standard	14
80H-1HALF	1" heavy duty half link american standard	15
A2040	1" roller chain double pitch	26
A2040CONN	1" connecting link double pitch	18
A2040HALF	1" half link double pitch	12
A2050	1.1/2" roller chain double pitch	40
A2050CONN	1.1/2" connecting link double pitch	8
A2050HALF	1.1/2" half link double pitch	6
APLL12/5	37mm anchor pins	4
C120-1EP/STACON	1.1/2" connecting link sharp top timber	4
C16B-2EP/1170CN	1" duplex connecting link sharp top timber	2
C2040	1" roller chain double pitch	48
C2040CONN	1" connecting link double pitch	22
C2040HALF	1" half link double pitch	20



C2050	1.1/4" roller chain double pitch	27
C2050CONN	1.1/4" connecting link double pitch	8
C2050HALF	1.1/4" half link double pitch	17
C2060	1.1/2" roller chain double pitch	35
C2060CONN	1.1/2" connecting link double pitch	17
C2060H	1.1/2" heavy duty roller chain double pitch	26
C2060HALF	1.1/2" heavy duty half link double pitch	5
C2060HCONN	1.1/2" heavy duty connecting link double pitch	12
C2060HHALF	1.1/2" heavy duty half link double pitch	15
C2062HSS	1.1/2" stainless heavy duty roller chain double pitch	10
C2080	2" roller chain double pitch	17
C2080CONN	2" connecting link double pitch	6
C2080H	2" heavy duty roller chain double pitch	15
C2080HALF	2" heavy duty half link double pitch	14
C2080HCONN	2" heavy duty connecting link double pitch	12
C2080HHALF	2" heavy duty half link double double pitch	6
CA550	41.4mm roller chain	17
CA550CONN	41.4mm connecting link	8
CA550HALF	41.4mm half link	7
KB78	67.1mm chain link KOHLSAW	148
LF880	flat top table chain	10
M112-100CONN	100mm connecting link	2
M80-A-80CONN	80mm connecting link	3
R11ROLLER	tensioner roller SE11	2
R15/18ROLLER	tensioner roller SE15/19	3
R38ROLLER	tensioner roller SE38	3
RF2050CONN	1.1/4" connecting link american standard	4
RF2060CONN	1.1/2" connecting link american standard	2
RS32BCONN	2" connecting link british standard (TSUBAKI)	7
S2040CONN	1" connecting link extended pitch	7
S2040HALF	1" half link extended pitch	5
S32	1.15" roller chain coventry extended pitch	28
S32CONN	1.15" connecting link coventry extended pitch	10
S32HALF	1.15" half link coventry extended pitch	7
S42	1.375" roller chain coventry extended pitch	38
S42CONN	1.375" connecting link coventry extended pitch	11
S42CONNK2	1.375" connecting link coventry extended pitch K2 attachment	4
S42HALF	1.375" half link coventry extended pitch	10

S42K1	1.375" roller chain coventry extended pitch K1 attachment	9
S42K2CONN	1.375" connecting link coventry extended pitch K2 attachment both sides	7
S45	1.629" roller chain coventry extended pitch	17
S45CONN	1.629" connecting link coventry extended pitch	9
S45CONNK2	1.629" connecting link coventry extended pitch K2 attachment both sides	19
S45HALF	1.629" half linkcoventry extended pitch	6
S45INNER	1.629" inner link coventry extended pitch	11
S45INNERK2	1.629" inner link coventry extended pitch K2 attachment both sides	3
S45K2CONN	1.629" connecting link coventry extended pitch K1 attachment both sides	19
S52	1.500" roller chain coventry extended pitch	35
S52CONN	1.500" roller connecting link coventry extended pitch	13
S52CONNK1	1.500" connecting link coventry extended pitch K1 attachment one side	6
S52HALF	1.500" half link coventry extended pitch	1
S52INNER	1.500" inner link coventry extended pitch	7
S52K1	1.500" roller chain coventry extended pitch K1 attachment every 3rd link	9
S52K2	1.500" roller chain coventry extended pitch K2 attachment every 3rd link both sides	6
S55	1.629" roller chain coventry extended pitch	68
S55CONN	1.629" connecting link coventry extended pitch	3
S55HALF	1.629" half linkcoventry extended pitch	7
S55K1INNER	1.629" inner link coventry extended pitch	6
S55K2INNER	1.629" inner link coventry extended pitch K2 attachment both sides	34
S55R	1.629" roller chain coventry extended pitch	37
S62	1.650" roller chain coventry extended pitch	35
S62CONN	1.650" connecting link coventry extended pitch	14
S62HALF	1.650" half link coventry extended pitch	12
S62INNER	1.650" inner link coventry extended pitch	9
S62K2INNER	1.650" inner link coventry extended pitch K2 attachment one side	7
S77	2.296" roller chain coventry extended pitch	5
SS12B1CO	3/4" stainless connecting link british standard extended pins	20
Z40-50.8-CONN	2" connecting link conveyor type	4
ZC40-50.8-CONN	2" connecting link conveyor type hollow pin	4
ZC40-63.5-CONN	2.1/2" connecting link conveyor type hollow pin	6
ZC40-63.5-CO-ZP	2.1/2" connecting link conveyor type hollow pin zinc plated	6
ZC40-C-50.8	2" roller chain conveyor type hollow pin	17
ZC40-C-63.5	2.1/2" roller chain conveyor type hollow pin	17