

Powerdrive Pulleys














Features & Benefits

- POWERDRIVE branded product, produced to consistently high quality.
- Manufactured from grade GG25 fine-grain cast iron - high resistance to wear, giving extended life.
- Black coloured phosphate finish improves grip and allows increased power transmission.
- Statically balanced for belt speeds up to 40 m/sec (Q6.3 balance spec giving smoother vibration free running).
- Larger pulleys, weighing in excess of 100kg are dynamically balanced.
- Pulley groove specification conforms to ISO4183. Suitable for classical, wedge and cogged raw edge belts.

TAPER BUSH V-BELT PULLEYS - CONFIGURATION



| TABLE KEY | | | |
|-----------|-------------------------|---|----------------------|
| A | Inner Bore Diameter Max | F | Overall Sheave Depth |
| B | Pitch Diameter | G | Bush Seat Length |
| C | Overall Outer Diameter | H | Inner Recess Length |
| D | Inner Recess Diameter | Z | Number of Grooves |
| E | Outer Hub Diameter | | |

TAPER BUSH V-BELT PULLEYS “SPZ” SECTION

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|----|-------|----|-------------|----|----|-------------|----|
| SPZ 050/2 | 50 | 54.6 | 2 | 1008 | | 25 | 22 | 9 | 26 | 25 | 0.5 | 28 |
| SPZ 056/1 | 56 | 60.6 | 1 | 1008 | | 25 | 22 | 9 | 32 | 12 | 0.5 | 16 |
| SPZ 056/2 | 56 | 60.6 | 2 | 1008 | | 25 | 22 | 9 | 32 | 27 | 0.56 | 28 |
| SPZ 060/1 | 60 | 64.6 | 1 | 1008 | 56 | 25 | 22 | 1 | | | 0.32 | 16 |
| SPZ 063/1 | 63 | 67.6 | 1 | 1108 | 56 | 28 | 22 | 1 | | | 0.3 | 16 |
| SPZ 063/2 | 63 | 67.6 | 2 | 1108 | | 28 | 22 | 6 | 40 | 6 | 0.3 | 28 |
| SPZ 063/3 | 63 | 67.6 | 3 | 1108 | | 28 | 22 | 6 | 40 | 18 | 0.5 | 40 |
| SPZ 067/1 | 67 | 71.6 | 1 | 1108 | 60 | 28 | 22 | 1 | | | 0.6 | 16 |
| SPZ 067/2 | 67 | 71.6 | 2 | 1008 | | 25 | 22 | 6 | 42 | 6 | 0.4 | 28 |
| SPZ 067/3 | 67 | 71.6 | 3 | 1108 | | 28 | 22 | 6 | 42 | 18 | 0.6 | 40 |
| SPZ 071/1 | 71 | 75.6 | 1 | 1108 | 60 | 28 | 22 | 1 | | | 0.4 | 16 |
| SPZ 071/2 | 71 | 75.6 | 2 | 1108 | | 28 | 28 | 6 | 42 | 6 | 0.5 | 28 |
| SPZ 071/3 | 71 | 75.6 | 3 | 1108 | | 28 | 22 | 6 | 42 | 18 | 0.6 | 40 |
| SPZ 075/1 | 75 | 79.6 | 1 | 1108 | 60 | 28 | 22 | 1 | | | 0.4 | 16 |
| SPZ 075/2 | 75 | 79.6 | 2 | 1210 | | 32 | 28 | 6 | 51 | 3 | 0.6 | 28 |
| SPZ 075/3 | 75 | 79.6 | 3 | 1210 | | 32 | 25 | 6 | 51 | 15 | 0.6 | 40 |
| SPZ 080/1 | 80 | 84.6 | 1 | 1210 | 75 | 32 | 25 | 1 | | | 0.5 | 16 |
| SPZ 080/2 | 80 | 84.6 | 2 | 1210 | | 32 | 28 | 6 | 51 | 3 | 0.6 | 28 |
| SPZ 080/3 | 80 | 84.6 | 3 | 1210 | | 32 | 25 | 6 | 51 | 15 | 0.8 | 40 |
| SPZ 080/4 | 80 | 84.6 | 4 | 1210 | | 32 | 25 | 6 | 51 | 27 | 0.9 | 52 |
| SPZ 085/1 | 85 | 89.6 | 1 | 1210 | 80 | 32 | 25 | 1 | | | 0.6 | 16 |
| SPZ 085/2 | 85 | 89.6 | 2 | 1610 | | 42 | 28 | 6 | 60 | 3 | 0.7 | 28 |
| SPZ 085/3 | 85 | 89.6 | 3 | 1610 | | 42 | 25 | 6 | 60 | 15 | 0.8 | 40 |
| SPZ 085/4 | 85 | 89.6 | 4 | 1610 | | 42 | 25 | 6 | 60 | 27 | 0.9 | 52 |
| SPZ 085/5 | 85 | 89.6 | 5 | 1610 | | 42 | 25 | 6 | 60 | 39 | 1.3 | 64 |
| SPZ 090/1 | 90 | 94.6 | 1 | 1210 | 80 | 32 | 25 | 1 | | | 0.7 | 16 |
| SPZ 090/2 | 90 | 94.6 | 2 | 1610 | | 42 | 28 | 6 | 61 | 3 | 0.7 | 28 |
| SPZ 090/3 | 90 | 94.6 | 3 | 1610 | | 42 | 25 | 6 | 61 | 15 | 0.9 | 40 |
| SPZ 090/4 | 90 | 94.6 | 4 | 1610 | | 42 | 25 | 6 | 61 | 27 | 1.1 | 52 |
| SPZ 090/5 | 90 | 94.6 | 5 | 1610 | | 42 | 25 | 6 | 61 | 39 | 1.4 | 64 |
| SPZ 095/1 | 95 | 99.6 | 1 | 1210 | 85 | 32 | 25 | 1 | | | 0.8 | 16 |
| SPZ 095/2 | 95 | 99.6 | 2 | 1610 | | 42 | 28 | 6 | 66 | 3 | 0.8 | 28 |
| SPZ 095/3 | 95 | 99.6 | 3 | 1610 | | 42 | 25 | 6 | 66 | 15 | 1.1 | 40 |
| SPZ 095/4 | 95 | 99.6 | 4 | 1610 | | 42 | 25 | 6 | 66 | 26 | 1.3 | 52 |
| SPZ 095/5 | 95 | 99.6 | 5 | 1610 | | 42 | 25 | 6 | 66 | 39 | 1.6 | 64 |
| SPZ 100/1 | 100 | 104.6 | 1 | 1210 | 85 | 32 | 25 | 1 | | | 0.8 | 16 |
| SPZ 100/2 | 100 | 104.6 | 2 | 1610 | | 42 | 28 | 6 | 71 | 3 | 1 | 28 |
| SPZ 100/3 | 100 | 104.6 | 3 | 1610 | | 42 | 25 | 6 | 71 | 15 | 1.2 | 40 |
| SPZ 100/4 | 100 | 104.6 | 4 | 1610 | | 42 | 25 | 6 | 71 | 26 | 1.4 | 52 |
| SPZ 100/5 | 100 | 104.6 | 5 | 2012 | | 50 | 32 | 6 | 71 | 32 | 1.6 | 64 |
| SPZ 100/6 | 100 | 104.6 | 6 | 2012 | | 50 | 32 | 6 | 71 | 44 | 1.9 | 76 |
| SPZ 106/1 | 106 | 110.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 0.9 | 16 |
| SPZ 106/2 | 106 | 110.6 | 2 | 1610 | | 42 | 28 | 6 | 76 | 3 | 1.2 | 28 |
| SPZ 106/3 | 106 | 110.6 | 3 | 1610 | | 42 | 25 | 6 | 76 | 15 | 1.4 | 40 |
| SPZ 106/4 | 106 | 110.6 | 4 | 1610 | | 42 | 25 | 6 | 76 | 26 | 1.6 | 64 |
| SPZ 106/5 | 106 | 110.6 | 5 | 2012 | | 50 | 32 | 6 | 76 | 32 | 1.9 | 64 |
| SPZ 106/6 | 106 | 110.6 | 6 | 2012 | | 50 | 32 | 6 | 76 | 44 | 2.2 | 76 |
| SPZ 112/1 | 112 | 116.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1 | 16 |
| SPZ 112/2 | 112 | 116.6 | 2 | 1610 | | 42 | 28 | 6 | 83 | 3 | 1.4 | 28 |
| SPZ 112/3 | 112 | 116.6 | 3 | 2012 | | 50 | 32 | 6 | 83 | 8 | 1.5 | 40 |
| SPZ 112/4 | 112 | 116.6 | 4 | 2012 | | 50 | 32 | 6 | 83 | 20 | 1.7 | 52 |
| SPZ 112/5 | 112 | 116.6 | 5 | 2012 | | 50 | 32 | 6 | 83 | 32 | 2.2 | 64 |
| SPZ 112/6 | 112 | 116.6 | 6 | 2012 | | 50 | 32 | 6 | 83 | 44 | 2.5 | 76 |
| SPZ 118/1 | 118 | 122.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.1 | 16 |
| SPZ 118/2 | 118 | 122.6 | 2 | 1610 | | 42 | 28 | 6 | 90 | 3 | 1.6 | 28 |
| SPZ 118/3 | 118 | 122.6 | 3 | 2012 | | 50 | 32 | 6 | 90 | 8 | 1.7 | 40 |
| SPZ 118/4 | 118 | 122.6 | 4 | 2012 | | 50 | 32 | 6 | 90 | 20 | 2 | 52 |
| SPZ 118/5 | 118 | 122.6 | 5 | 2012 | | 50 | 32 | 6 | 90 | 32 | 2.3 | 64 |
| SPZ 118/6 | 118 | 122.6 | 6 | 2517 | | 60 | 45 | 6 | 90 | 31 | 2.5 | 76 |
| SPZ 125/1 | 125 | 129.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.2 | 16 |
| SPZ 125/2 | 125 | 129.6 | 2 | 1610 | | 42 | 28 | 6 | 96 | 3 | 1.6 | 28 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|----|-------------|-----|------|-------------|----|
| SPZ 125/3 | 125 | 129.6 | 3 | 2012 | | 50 | 32 | 2 | 96 | | 21 | 40 |
| SPZ 125/4 | 125 | 129.6 | 4 | 2012 | | 50 | 32 | 2 | 96 | | 2.3 | 52 |
| SPZ 125/5 | 125 | 129.6 | 5 | 2012 | | 50 | 32 | 6 | 96 | 32 | 2.7 | 64 |
| SPZ 132/1 | 132 | 136.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.4 | 16 |
| SPZ 132/2 | 132 | 136.6 | 2 | 1610 | | 42 | 28 | 6 | 103 | 3 | 2.1 | 28 |
| SPZ 132/3 | 132 | 136.6 | 3 | 2012 | | 50 | 32 | 2 | 103 | | 2.4 | 40 |
| SPZ 132/4 | 132 | 136.6 | 4 | 2012 | | 50 | 32 | 2 | 103 | | 2.7 | 52 |
| SPZ 132/5 | 132 | 136.6 | 5 | 2517 | | 60 | 45 | 2 | 103 | | 3.2 | 64 |
| SPZ 140/1 | 140 | 144.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.6 | 16 |
| SPZ 140/2 | 140 | 144.6 | 2 | 1610 | | 42 | 28 | 6 | 111 | 3 | 2.4 | 28 |
| SPZ 140/3 | 140 | 144.6 | 3 | 2012 | | 50 | 32 | 2 | 111 | | 2.8 | 40 |
| SPZ 140/4 | 140 | 144.6 | 4 | 2012 | | 50 | 32 | 2 | 111 | | 3.2 | 52 |
| SPZ 140/5 | 140 | 144.6 | 5 | 2517 | | 60 | 45 | 2 | 111 | | 3.5 | 64 |
| SPZ 140/6 | 140 | 144.6 | 6 | 2517 | | 60 | 45 | 2 | 111 | | 3.9 | 76 |
| SPZ 150/1 | 150 | 154.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.9 | 16 |
| SPZ 150/2 | 150 | 154.6 | 2 | 2012 | 112 | 50 | 32 | 1 | | | 2.6 | 28 |
| SPZ 150/3 | 150 | 154.6 | 3 | 2012 | | 50 | 32 | 2 | 121 | | 3 | 40 |
| SPZ 150/4 | 150 | 154.6 | 4 | 2517 | | 60 | 45 | 2 | 121 | | 3.9 | 52 |
| SPZ 150/5 | 150 | 154.6 | 5 | 2517 | | 60 | 45 | 2 | 121 | | 4.3 | 64 |
| SPZ 150/6 | 150 | 154.6 | 6 | 2517 | | 60 | 45 | 2 | 121 | | 4.7 | 76 |
| SPZ 160/1 | 160 | 164.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 2.1 | 16 |
| SPZ 160/2 | 160 | 164.6 | 2 | 2012 | 112 | 50 | 32 | 1 | | | 2.8 | 28 |
| SPZ 160/3 | 160 | 164.6 | 3 | 2012 | | 50 | 32 | 2 | 131 | | 3.2 | 40 |
| SPZ 160/4 | 160 | 164.6 | 4 | 2517 | | 60 | 45 | 2 | 131 | | 4.7 | 52 |
| SPZ 160/5 | 160 | 164.6 | 5 | 2517 | | 60 | 45 | 2 | 131 | | 5.1 | 64 |
| SPZ 160/6 | 160 | 164.6 | 6 | 2517 | | 60 | 45 | 2 | 131 | | 5.5 | 76 |
| SPZ 170/1 | 170 | 174.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 2.5 | 16 |
| SPZ 170/2 | 170 | 174.6 | 2 | 2012 | 112 | 50 | 32 | 1 | | | 2.9 | 28 |
| SPZ 170/3 | 170 | 174.6 | 3 | 2012 | | 50 | 32 | 2 | 141 | | 3.2 | 40 |
| SPZ 180/1 | 180 | 184.6 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 2.8 | 16 |
| SPZ 180/2 | 180 | 184.6 | 2 | 2012 | 112 | 50 | 32 | 8 | 152 | 3 | 3 | 28 |
| SPZ 180/3 | 180 | 184.6 | 3 | 2012 | 112 | 50 | 32 | 7 | 151 | 4 | 3.3 | 40 |
| SPZ 180/4 | 180 | 184.6 | 4 | 2517 | | 60 | 45 | 2 | 151 | | 6.5 | 52 |
| SPZ 180/5 | 180 | 184.6 | 5 | 2517 | | 60 | 45 | 2 | 151 | | 6.9 | 64 |
| SPZ 180/6 | 180 | 184.6 | 6 | 2517 | | 60 | 45 | 2 | 151 | | 7.3 | 76 |
| SPZ 190/1 | 190 | 194.6 | 1 | 1610 | 92 | 42 | 25 | 4 | 162 | 12 | 3 | 16 |
| SPZ 190/2 | 190 | 194.6 | 2 | 2012 | 112 | 50 | 32 | 8 | 162 | 3 | 3.1 | 28 |
| SPZ 190/3 | 190 | 194.6 | 3 | 2012 | 112 | 50 | 32 | 7 | 161 | 4 | 3.4 | 40 |
| SPZ 200/1 | 200 | 204.6 | 1 | 2012 | 112 | 50 | 32 | 4 | 171 | 15.5 | 3.2 | 16 |
| SPZ 200/2 | 200 | 204.6 | 2 | 2012 | 112 | 50 | 32 | 4 | 171 | 3 | 3.1 | 28 |
| SPZ 200/3 | 200 | 204.6 | 3 | 2012 | 112 | 50 | 32 | 5 | 171 | 4 | 3.6 | 40 |
| SPZ 200/4 | 200 | 204.6 | 4 | 2517 | 124 | 60 | 45 | 7 | 171 | 3.5 | 5.4 | 52 |
| SPZ 200/5 | 200 | 204.6 | 5 | 2517 | | 60 | 45 | 3 | 171 | 9.5 | 6.1 | 64 |
| SPZ 224/1 | 224 | 228.6 | 1 | 2012 | 112 | 50 | 32 | 4 | 195 | 15.5 | 3.5 | 16 |
| SPZ 224/2 | 224 | 228.6 | 2 | 2012 | 112 | 50 | 32 | 4 | 195 | 3 | 3.4 | 28 |
| SPZ 224/3 | 224 | 228.6 | 3 | 2012 | 112 | 60 | 32 | 5 | 195 | 4 | 4.2 | 40 |
| SPZ 224/4 | 224 | 228.6 | 4 | 2517 | 124 | 60 | 45 | 5 | 195 | 3.5 | 6.1 | 52 |
| SPZ 224/5 | 224 | 228.6 | 5 | 2517 | 124 | 60 | 45 | 5 | 195 | 9.5 | 7.1 | 64 |
| SPZ 250/1 | 250 | 254.6 | 1 | 2012 | 112 | 50 | 32 | 4 | 221 | 8 | 3.8 | 16 |
| SPZ 250/2 | 250 | 254.6 | 2 | 2012 | 112 | 50 | 32 | 4 | 221 | 2 | 3.9 | 28 |
| SPZ 250/3 | 250 | 254.6 | 3 | 2012 | 112 | 50 | 32 | 5 | 221 | 4 | 4.7 | 40 |
| SPZ 250/4 | 250 | 254.6 | 4 | 2517 | 124 | 60 | 45 | 5 | 221 | 3.5 | 6.8 | 52 |
| SPZ 250/5 | 250 | 254.6 | 5 | 2517 | 124 | 60 | 45 | 5 | 221 | 9.5 | 8.1 | 64 |
| SPZ 280/2 | 280 | 284.6 | 2 | 2012 | 112 | 50 | 32 | 4 | 251 | 2 | 4.9 | 28 |
| SPZ 280/3 | 280 | 284.6 | 3 | 2517 | 124 | 60 | 45 | 4 | 251 | 2.5 | 7.1 | 40 |
| SPZ 280/4 | 280 | 284.6 | 4 | 2517 | 124 | 60 | 45 | 5 | 251 | 3.5 | 8.2 | 52 |
| SPZ 280/5 | 280 | 284.6 | 5 | 2517 | 124 | 60 | 45 | 5 | 251 | 9.5 | 10.51 | 64 |
| SPZ 315/1 | 315 | 319.6 | 1 | 2012 | 112 | 50 | 32 | 4 | 286 | 8 | 5.8 | 16 |
| SPZ 315/2 | 315 | 319.6 | 2 | 2012 | 112 | 50 | 32 | 4 | 286 | 2 | 5.9 | 28 |
| SPZ 315/3 | 315 | 319.6 | 3 | 2517 | 124 | 60 | 45 | 4 | 286 | 2.5 | 7.5 | 40 |
| SPZ 315/4 | 315 | 319.6 | 4 | 2517 | 124 | 60 | 45 | 5 | 286 | 3.5 | 9.3 | 52 |
| SPZ 315/5 | 315 | 319.6 | 5 | 2517 | 124 | 60 | 45 | 5 | 286 | 9.5 | 11 | 64 |
| SPZ 315/6 | 315 | 319.6 | 6 | 2517 | 124 | 60 | 45 | 5 | 286 | 15.5 | 13 | 76 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|----|-------------|-----|------|-------------|----|
| SPZ 355/1 | 355 | 359.6 | 1 | 2012 | 112 | 50 | 32 | 4 | 326 | 8 | 6 | 16 |
| SPZ 355/2 | 355 | 359.6 | 2 | 2012 | 112 | 50 | 32 | 4 | 326 | 2 | 6.5 | 28 |
| SPZ 355/3 | 355 | 359.6 | 3 | 2517 | 124 | 60 | 45 | 4 | 326 | 2.5 | 8.9 | 40 |
| SPZ 355/4 | 355 | 359.6 | 4 | 2517 | 124 | 60 | 45 | 5 | 326 | 3.5 | 9.5 | 52 |
| SPZ 355/5 | 355 | 359.6 | 5 | 2517 | 124 | 60 | 45 | 5 | 326 | 9.5 | 11 | 76 |
| SPZ 355/6 | 355 | 359.6 | 6 | 2517 | 124 | 60 | 45 | 5 | 326 | 15.5 | 14 | 76 |
| SPZ 400/2 | 400 | 404.6 | 2 | 2517 | 124 | 60 | 45 | 4 | 371 | 8.5 | 9.75 | 28 |
| SPZ 400/3 | 400 | 404.6 | 3 | 2517 | 124 | 60 | 45 | 4 | 371 | 2.5 | 10.5 | 40 |
| SPZ 400/4 | 400 | 404.6 | 4 | 2517 | 124 | 60 | 45 | 5 | 371 | 3.5 | 12.1 | 52 |
| SPZ 400/5 | 400 | 404.6 | 5 | 3020 | 146 | 75 | 51 | 5 | 371 | 6.5 | 15 | 64 |
| SPZ 450/2 | 450 | 454.6 | 2 | 2517 | 124 | 60 | 45 | 4 | 421 | 8.5 | 10.9 | 28 |
| SPZ 450/3 | 450 | 454.6 | 3 | 2517 | 124 | 60 | 51 | 4 | 421 | 2.5 | 13.4 | 40 |
| SPZ 450/4 | 450 | 454.6 | 4 | 3020 | 146 | 75 | 51 | 5 | 421 | 0.5 | 16.7 | 52 |
| SPZ 500/2 | 500 | 504.6 | 2 | 2517 | 124 | 60 | 45 | 4 | 471 | 8.5 | 15.6 | 28 |
| SPZ 500/3 | 500 | 504.6 | 3 | 2517 | 124 | 60 | 51 | 4 | 471 | 2.5 | 18.75 | 40 |
| SPZ 630/4 | 630 | 634.6 | 4 | 3020 | 146 | 75 | 51 | 5 | 601 | 12 | 22.1 | 52 |

TAPER BUSH V-BELT PULLEYS “SPA” SECTION

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|----|-------|----|-------------|------|----|-------------|----|
| SPA 063/1 | 63 | 69.2 | 1 | 1008 | 56 | 28 | 22 | 1 | | | 0.33 | 20 |
| SPA 063/2 | 63 | | 2 | 1008 | | 28 | 22 | 6 | 32.5 | 13 | 0.38 | 35 |
| SPA 067/1 | 67 | 73.2 | 1 | 1108 | 56 | 28 | 22 | 1 | | | 0.35 | 20 |
| SPA 067/2 | 67 | 73.2 | 2 | 1108 | | 28 | 22 | 6 | 37 | 13 | 0.47 | 35 |
| SPA 071/1 | 71 | 77.2 | 1 | 1108 | 60 | 28 | 22 | 1 | | | 0.37 | 20 |
| SPA 071/2 | 71 | 77.2 | 2 | 1108 | | 28 | 22 | 6 | 40 | 13 | 0.54 | 35 |
| SPA 071/3 | 71 | 77.2 | 3 | 1108 | | 28 | 22 | 6 | 40 | 28 | 0.74 | 50 |
| SPA 075/1 | 75 | 81.2 | 1 | 1108 | 60 | 28 | 22 | 1 | | | 0.44 | 20 |
| SPA 075/2 | 75 | 81.2 | 2 | 1108 | | 28 | 22 | 6 | 44 | 13 | 0.65 | 35 |
| SPA 075/3 | 75 | 81.2 | 3 | 1108 | | 28 | 22 | 6 | 44 | 28 | 0.84 | 50 |
| SPA 080/1 | 80 | 86.2 | 1 | 1210 | 75 | 32 | 25 | 1 | | | 0.53 | 20 |
| SPA 080/2 | 80 | 86.2 | 2 | 1210 | | 32 | 25 | 6 | 50 | 10 | 0.62 | 35 |
| SPA 080/3 | 80 | 86.2 | 3 | 1210 | | 32 | 25 | 6 | 50 | 25 | 0.82 | 50 |
| SPA 085/1 | 85 | 91.2 | 1 | 1210 | 80 | 32 | 25 | 1 | | | 0.68 | 20 |
| SPA 085/2 | 85 | 91.2 | 2 | 1210 | | 32 | 25 | 6 | 55 | 10 | 0.73 | 35 |
| SPA 085/3 | 85 | 91.2 | 3 | 1210 | | 32 | 25 | 6 | 55 | 25 | 0.96 | 50 |
| SPA 090/1 | 90 | 96.2 | 1 | 1210 | 80 | 32 | 25 | 1 | | | 0.8 | 20 |
| SPA 090/2 | 90 | 96.2 | 2 | 1610 | | 42 | 25 | 6 | 59 | 10 | 0.8 | 35 |
| SPA 090/3 | 90 | 96.2 | 3 | 1610 | | 42 | 25 | 6 | 59 | 25 | 1.1 | 50 |
| SPA 090/4 | 90 | 96.2 | 4 | 1615 | | 42 | 38 | 6 | 59 | 27 | 1.4 | 65 |
| SPA 095/1 | 95 | 101.2 | 1 | 1210 | 85 | 32 | 25 | 1 | | | 0.9 | 20 |
| SPA 095/2 | 95 | 101.2 | 2 | 1610 | | 42 | 25 | 6 | 63 | 10 | 0.9 | 35 |
| SPA 095/3 | 95 | 101.2 | 3 | 1610 | | 42 | 25 | 6 | 63 | 25 | 1.3 | 50 |
| SPA 095/4 | 95 | 101.2 | 4 | 1615 | | 42 | 38 | 6 | 63 | 27 | 1.7 | 65 |
| SPA 100/1 | 100 | 106.2 | 1 | 1610 | 85 | 42 | 25 | 1 | | | 0.9 | 20 |
| SPA 100/2 | 100 | 106.2 | 2 | 1610 | | 42 | 25 | 6 | 66 | 10 | 1.1 | 35 |
| SPA 100/3 | 100 | 106.2 | 3 | 1610 | | 42 | 25 | 2 | 66 | | 1.4 | 50 |
| SPA 100/4 | 100 | 106.2 | 4 | 1610 | | 42 | 28 | 2 | 66 | | 1.9 | 65 |
| SPA 100/5 | 100 | 106.2 | 5 | 1610 | | 42 | 25 | 2 | 66 | | 1.9 | 80 |
| SPA 100/6 | 100 | 106.2 | 6 | 1615 | | 42 | 38 | 3 | 66 | 30 | 2.23 | 95 |
| SPA 106/1 | 106 | 112.2 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 0.9 | 20 |
| SPA 106/2 | 106 | 112.2 | 2 | 1610 | | 42 | 25 | 6 | 72 | 10 | 1.3 | 35 |
| SPA 106/3 | 106 | 112.2 | 3 | 1610 | | 42 | 25 | 2 | 72 | | 1.6 | 50 |
| SPA 106/4 | 106 | 112.2 | 4 | 2012 | | 50 | 32 | 6 | 72 | 33 | 1.7 | 65 |
| SPA 106/5 | 106 | 112.2 | 5 | 2012 | | 50 | 32 | 6 | 72 | 48 | 2.01 | 80 |
| SPA 112/1 | 112 | 118 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1 | 20 |
| SPA 112/2 | 112 | 118 | 2 | 1610 | | 42 | 25 | 6 | 78 | 10 | 1.5 | 35 |
| SPA 112/3 | 112 | 118 | 3 | 2012 | | 50 | 32 | 6 | 78 | 18 | 1.7 | 50 |
| SPA 112/4 | 112 | 118 | 4 | 2012 | | 50 | 32 | 6 | 78 | 33 | 2.1 | 65 |
| SPA 112/5 | 112 | 118 | 5 | 2012 | | 50 | 32 | 6 | 78 | 48 | 2.33 | 80 |
| SPA 112/6 | 112 | 118 | 6 | 2012 | | 50 | 32 | 6 | 63 | 63 | 2.85 | 95 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|----|-------------|-----|------|-------------|----|
| SPA 118/1 | 118 | 124 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.1 | 20 |
| SPA 118/2 | 118 | 124 | 2 | 1610 | | 42 | 25 | 6 | 84 | 10 | 1.4 | 35 |
| SPA 118/3 | 118 | 124 | 3 | 2012 | | 50 | 32 | 2 | 84 | | 2 | 50 |
| SPA 118/4 | 118 | 124 | 4 | 2012 | | 50 | 32 | 2 | 84 | | 2.4 | 65 |
| SPA 118/5 | 118 | 124 | 5 | 2012 | | 50 | 32 | 6 | 84 | | 2.75 | 80 |
| SPA 118/6 | 118 | 124 | 6 | 2012 | | 50 | 32 | 6 | 63 | 63 | 3.13 | 95 |
| SPA 125/1 | 125 | 131 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.3 | 20 |
| SPA 125/2 | 125 | 131 | 2 | 1610 | | 42 | 25 | 6 | 91 | 10 | 1.9 | 35 |
| SPA 125/3 | 125 | 131 | 3 | 2012 | | 50 | 32 | 2 | 91 | | 2.4 | 50 |
| SPA 125/4 | 125 | 131 | 4 | 2012 | | 50 | 32 | 2 | 91 | | 2.8 | 65 |
| SPA 125/5 | 125 | 131 | 5 | 2012 | | 50 | 32 | 3 | 91 | 24 | 3.15 | 80 |
| SPA 132/1 | 132 | 138 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.5 | 20 |
| SPA 132/2 | 132 | 138 | 2 | 2012 | | 50 | 32 | 6 | 98 | 3 | 2 | 35 |
| SPA 132/3 | 132 | 138 | 3 | 2012 | | 50 | 32 | 2 | 98 | | 2.7 | 50 |
| SPA 132/4 | 132 | 138 | 4 | 2517 | | 60 | 45 | 2 | 98 | | 3 | 65 |
| SPA 132/5 | 132 | 138 | 5 | 2517 | | 60 | 45 | 3 | 98 | 17.5 | 3.25 | 80 |
| SPA 140/1 | 140 | 146 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.7 | 20 |
| SPA 140/2 | 140 | 146 | 2 | 2012 | | 50 | 32 | 6 | 106 | 3 | 2.7 | 35 |
| SPA 140/3 | 140 | 146 | 3 | 2517 | | 60 | 45 | 6 | 106 | 5 | 3 | 50 |
| SPA 140/4 | 140 | 146 | 4 | 2517 | | 60 | 45 | 2 | 106 | | 3.6 | 65 |
| SPA 140/5 | 140 | 146 | 5 | 2517 | | 60 | 45 | 3 | 106 | 17.5 | 3.95 | 80 |
| SPA 150/1 | 150 | 156 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 1.9 | 20 |
| SPA 150/2 | 150 | 156 | 2 | 2012 | | 50 | 32 | 6 | 116 | 3 | 3.2 | 35 |
| SPA 150/3 | 150 | 156 | 3 | 2517 | | 60 | 45 | 6 | 116 | 5 | 3.8 | 50 |
| SPA 150/4 | 150 | 156 | 4 | 2517 | | 60 | 45 | 2 | 116 | | 4.4 | 65 |
| SPA 150/5 | 150 | 156 | 5 | 2517 | | 60 | 45 | 3 | 116 | 17.5 | 4.65 | 80 |
| SPA 150/6 | 150 | 156 | 6 | 2517 | | 60 | 45 | 3 | 116 | 25 | 5.35 | 95 |
| SPA 160/1 | 160 | 166.2 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 2.2 | 20 |
| SPA 160/2 | 160 | 166.2 | 2 | 2012 | | 50 | 32 | 6 | 125 | 3 | 3.8 | 35 |
| SPA 160/3 | 160 | 166.2 | 3 | 2517 | | 60 | 45 | 6 | 125 | 5 | 4.6 | 50 |
| SPA 160/4 | 160 | 166.2 | 4 | 2517 | | 60 | 45 | 2 | 125 | | 5.2 | 65 |
| SPA 160/5 | 160 | 166.2 | 5 | 2517 | | 60 | 45 | 3 | 125 | 17.5 | 5.56 | 80 |
| SPA 170/1 | 170 | 176.2 | 1 | 1610 | 92 | 42 | 25 | 1 | | | 2.66 | 20 |
| SPA 170/2 | 170 | 176.2 | 2 | 2012 | | 50 | 32 | 6 | 135 | 3 | 4.46 | 35 |
| SPA 170/3 | 170 | 176.2 | 3 | 2517 | | 60 | 45 | 6 | 135 | 5 | 5.25 | 50 |
| SPA 180/1 | 180 | 186.2 | 1 | 1610 | 92 | 42 | 25 | 4 | 145 | | 2.1 | 20 |
| SPA 180/2 | 180 | 186.2 | 2 | 2012 | 108 | 50 | 32 | 7 | 146 | 1.5 | 5.1 | 35 |
| SPA 180/3 | 180 | 186.2 | 3 | 2517 | | 60 | 45 | 6 | 146 | 5 | 6.3 | 50 |
| SPA 180/4 | 180 | 186.2 | 4 | 2517 | | 60 | 45 | 2 | 146 | | 7 | 65 |
| SPA 180/5 | 180 | 186.2 | 5 | 3020 | | 75 | 51 | 3 | 146 | 14.5 | 6.81 | 80 |
| SPA 180/6 | 180 | 186.2 | 6 | 3020 | | 75 | 51 | 3 | 146 | 22 | 6.65 | 95 |
| SPA 190/1 | 190 | 196.2 | 1 | 1610 | 92 | 42 | 25 | 4 | 156 | | 2.31 | 20 |
| SPA 190/2 | 190 | 196.2 | 2 | 2012 | 108 | 50 | 32 | 6 | 156 | 1.5 | 3.68 | 35 |
| SPA 190/3 | 190 | 196.2 | 3 | 2517 | | 60 | 45 | 6 | 156 | 5 | 7.1 | 50 |
| SPA 190/4 | 190 | 196.2 | 4 | 2517 | | 60 | 45 | 2 | 156 | | 7.95 | 65 |
| SPA 200/1 | 200 | 206.2 | 1 | 2012 | 108 | 50 | 32 | 4 | 165 | | 2.8 | 20 |
| SPA 200/2 | 200 | 206.2 | 2 | 2517 | 123 | 60 | 45 | 8 | 165 | 5 | 4.7 | 35 |
| SPA 200/3 | 200 | 206.2 | 3 | 2517 | 123 | 60 | 45 | 7 | 165 | 2.5 | 5.6 | 50 |
| SPA 200/4 | 200 | 206.2 | 4 | 3020 | | 75 | 51 | 2 | 165 | | 8.5 | 65 |
| SPA 200/5 | 200 | 206.2 | 5 | 3020 | | 75 | 51 | 3 | 156 | 14.5 | 8.96 | 80 |
| SPA 200/6 | 200 | 206.2 | 6 | 3020 | | 75 | 51 | 3 | 165 | 22 | 10 | 95 |
| SPA 212/1 | 212 | 218.2 | 1 | 2012 | 110 | 50 | 32 | 4 | 177 | | 3.85 | 20 |
| SPA 212/2 | 212 | 218.2 | 2 | 2517 | 123 | 60 | 45 | 4 | 177 | 5 | 6.05 | 35 |
| SPA 212/3 | 212 | 218.2 | 3 | 2517 | 123 | 60 | 45 | 5 | 177 | 2.5 | 6.9 | 50 |
| SPA 212/4 | 212 | 218.2 | 4 | 3020 | | 75 | 51 | 2 | 177 | | 9.53 | 65 |
| SPA 224/1 | 224 | 230.2 | 1 | 2012 | 112 | 50 | 32 | 4 | 189 | | 4.02 | 20 |
| SPA 224/2 | 224 | 230.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 189 | | 6.65 | 35 |
| SPA 224/3 | 224 | 230.2 | 3 | 2517 | 124 | 60 | 45 | 5 | 189 | 2.5 | 7.45 | 50 |
| SPA 224/4 | 224 | 230.2 | 4 | 3020 | | 75 | 51 | 2 | 189 | | 11.34 | 65 |
| SPA 224/5 | 224 | 230.2 | 5 | 3020 | | 75 | 51 | 2 | 189 | | 12.3 | 80 |
| SPA 236/1 | 236 | 242.2 | 1 | 2012 | 112 | 50 | 32 | 8 | 202 | | 4.6 | 20 |
| SPA 236/2 | 236 | 242.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 202 | | 7.3 | 35 |
| SPA 236/3 | 236 | 242.2 | 3 | 2517 | 124 | 60 | 45 | 5 | 202 | 2.5 | 8.2 | 30 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|-------|-------------|-----|------|-------------|----|
| SPA 250/1 | 250 | 256.2 | 1 | 2012 | 112 | 50 | 32 | 4 | 215 | | 4.74 | 20 |
| SPA 250/2 | 250 | 256.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 215 | 5 | 6.58 | 35 |
| SPA 250/3 | 250 | 256.2 | 3 | 2517 | 124 | 60 | 45 | 5 | 215 | 2.5 | 7.91 | 50 |
| SPA 250/4 | 250 | 256.2 | 4 | 3020 | 159 | 75 | 51 | 5 | 215 | | 10.25 | 65 |
| SPA 250/5 | 250 | 256.2 | 5 | 3020 | 159 | 75 | 51 | 7 | 215 | 14.5 | 17.32 | 80 |
| SPA 250/6 | 250 | 256.2 | 6 | 3020 | 155 | 75 | 51 | 7 | 215 | 22 | 12.87 | 95 |
| SPA 280/1 | 280 | 286.2 | 1 | 2012 | 112 | 50 | 32 | 4 | 245 | | 5.84 | 20 |
| SPA 280/2 | 280 | 286.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 245 | | 8.26 | 35 |
| SPA 280/3 | 280 | 286.2 | 3 | 2517 | 124 | 60 | 45 | 5 | 245 | 2.5 | 8.28 | 50 |
| SPA 280/4 | 280 | 286.2 | 4 | 3020 | 159 | 75 | 51 | 5 | 245 | 7 | 11.36 | 65 |
| SPA 280/5 | 280 | 286.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 245 | 4.5 | 17.2 | 80 |
| SPA 300/1 | 300 | 306.2 | 1 | 2012 | 112 | 50 | 32 | 4 | 275 | | 6.015 | 20 |
| SPA 300/2 | 300 | 306.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 275 | | 9.45 | 35 |
| SPA 315/1 | 315 | 321.2 | 1 | 2012 | 112 | 50 | 32 | 4 | 280 | | 7.81 | 20 |
| SPA 315/2 | 315 | 321.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 280 | | 10 | 35 |
| SPA 315/3 | 315 | 321.1 | 3 | 3020 | 159 | 75 | 51 | 4 | 280 | 0.5 | 12.26 | 50 |
| SPA 315/4 | 315 | 321.2 | 4 | 3020 | 159 | 75 | 51 | 5 | 280 | 7 | 13.65 | 65 |
| SPA 355/1 | 355 | 361.2 | 1 | 2012 | 112 | 50 | 32 | 4 | 320 | | 6.8 | 20 |
| SPA 355/2 | 355 | 361.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 320 | | 10.8 | 35 |
| SPA 355/3 | 355 | 361.2 | 3 | 3020 | 159 | 75 | 51 | 4 | 320 | 0.5 | 13.45 | 50 |
| SPA 355/4 | 355 | 361.2 | 4 | 3020 | 159 | 75 | 51 | 5 | 320 | 7 | 16.2 | 65 |
| SPA 355/5 | 355 | 361.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 320 | 4.5 | 21.6 | 80 |
| SPA 400/1 | 400 | 406.2 | 1 | 2012 | 112 | 50 | 32 | 4 | 365 | | 7.5 | 20 |
| SPA 400/2 | 400 | 406.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 365 | | 11.4 | 35 |
| SPA 400/3 | 400 | 406.2 | 3 | 3020 | 159 | 75 | 51 | 4 | 365 | | 14.64 | 50 |
| SPA 400/4 | 400 | 406.2 | 4 | 3020 | 159 | 75 | 51 | 5 | 365 | 7 | 17.16 | 65 |
| SPA 400/5 | 400 | 406.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 365 | 4.5 | 23.43 | 80 |
| SPA 450/2 | 450 | 456.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 415 | | 14.5 | 35 |
| SPA 450/3 | 450 | 456.2 | 3 | 3020 | 159 | 75 | 51 | 4 | 415 | | 20.1 | 50 |
| SPA 450/4 | 450 | 456.2 | 4 | 3020 | 159 | 75 | 51 | 5 | 415 | 7 | 23.35 | 65 |
| SPA 450/5 | 450 | 456.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 415 | 4.5 | 27.75 | 80 |
| SPA 500/2 | 500 | 506.2 | 2 | 2517 | 124 | 60 | 45 | 4 | 465 | | 16.4 | 35 |
| SPA 500/3 | 500 | 506.2 | 3 | 3020 | 159 | 75 | 51 | 4 | 465 | | 20.01 | 50 |
| SPA 500/4 | 500 | 506.2 | 4 | 3020 | 159 | 75 | 51 | 5 | 465 | 7 | 21.05 | 65 |
| SPA 500/5 | 500 | 506.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 465 | 4.5 | 23.25 | 80 |
| SPA 560/2 | 560 | 566.2 | 2 | 3020 | 159 | 75 | 51 | 4 | 525 | 8 | 18.3 | 35 |
| SPA 560/3 | 560 | 566.2 | 3 | 3020 | 159 | 75 | 51 | 4 | 525 | | 22.64 | 50 |
| SPA 630/2 | 630 | 636.2 | 2 | 3020 | 159 | 75 | 51 | 4 | 595 | 8 | 21.51 | 35 |
| SPA 630/3 | 630 | 636.2 | 3 | 3020 | 159 | 75 | 51 | 4 | 595 | | 36.5 | 50 |
| SPA 630/6 | 630 | 636.2 | 6 | 4030 | 210 | 100 | 101.6 | 5 | 595 | 3.5 | 51.9 | 95 |

TAPER BUSH V-BELT PULLEYS “SPB” SECTION

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|---|-------|----|-------------|----|----|-------------|----|
| SPB 100/1 | 100 | 107.6 | 1 | 1610 | | 42 | 25 | 1 | | | 0.91 | 25 |
| SPB 100/2 | 100 | 107.6 | 2 | 1610 | | 42 | 25 | 6 | 62 | 19 | 1.25 | 44 |
| SPB 100/3 | 100 | 107.6 | 3 | 1610 | | 42 | 25 | 6 | 62 | 38 | 1.95 | 63 |
| SPB 106/1 | 106 | 113.6 | 1 | 1610 | | 42 | 25 | 1 | | | 0.98 | 25 |
| SPB 106/2 | 106 | 113.6 | 2 | 1610 | | 42 | 25 | 6 | 67 | 19 | 1.5 | 44 |
| SPB 106/3 | 106 | 113.6 | 3 | 1610 | | 42 | 25 | 6 | 67 | 38 | 2.1 | 63 |
| SPB 112/1 | 112 | 119.6 | 1 | 1610 | | 42 | 25 | 1 | | | 1.15 | 25 |
| SPB 112/2 | 112 | 119.6 | 2 | 1610 | | 42 | 25 | 6 | 72 | 19 | 1.68 | 44 |
| SPB 112/3 | 112 | 119.6 | 3 | 1610 | | 42 | 25 | 6 | 72 | 38 | 2.25 | 63 |
| SPB 118/1 | 118 | 125.6 | 1 | 1610 | | 42 | 25 | 1 | | | 1.45 | 25 |
| SPB 118/2 | 118 | 125.6 | 2 | 1610 | | 42 | 25 | 2 | 78 | | 2 | 44 |
| SPB 118/3 | 118 | 125.6 | 3 | 1610 | | 42 | 25 | 2 | 78 | | 2.6 | 63 |
| SPB 125/1 | 125 | 132.6 | 1 | 1610 | | 42 | 25 | 1 | | | 1.7 | 25 |
| SPB 125/2 | 125 | 132.6 | 2 | 2012 | | 50 | 32 | 2 | 82 | | 2.1 | 44 |
| SPB 125/3 | 125 | 132.6 | 3 | 2012 | | 50 | 32 | 2 | 82 | | 2.44 | 63 |
| SPB 125/4 | 125 | 132.6 | 4 | 2012 | | 50 | 32 | 3 | 82 | 25 | 2.94 | 82 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|----|-------------|-----|------|-------------|-----|
| SPB 125/5 | 125 | 132.6 | 5 | 2012 | | 50 | 32 | 6 | 87 | 69 | 3.8 | 101 |
| SPB 132/1 | 132 | 139.6 | 1 | 1610 | | 42 | 25 | 1 | | | 2.1 | 25 |
| SPB 132/2 | 132 | 139.6 | 2 | 2012 | | 50 | 32 | 2 | 89 | | 2.37 | 44 |
| SPB 132/3 | 132 | 139.6 | 3 | 2012 | | 50 | 32 | 2 | 89 | | 3.08 | 63 |
| SPB 132/4 | 132 | 139.6 | 4 | 2012 | | 50 | 32 | 3 | 89 | 25 | 3.9 | 82 |
| SPB 140/1 | 140 | 147.6 | 1 | 1610 | | 42 | 25 | 1 | | | 2.16 | 25 |
| SPB 140/2 | 140 | 147.6 | 2 | 2012 | | 50 | 32 | 2 | 97 | | 2.8 | 44 |
| SPB 140/3 | 140 | 147.6 | 3 | 2012 | | 50 | 32 | 2 | 97 | | 3.7 | 63 |
| SPB 140/4 | 140 | 147.6 | 4 | 2517 | | 60 | 45 | 3 | 100 | 18.5 | 4 | 82 |
| SPB 140/5 | 140 | 147.6 | 5 | 2517 | | 60 | 45 | 3 | 97 | 28 | 4.3 | 101 |
| SPB 140/6 | 140 | 147.6 | 6 | 2517 | | 60 | 45 | 3 | 100 | 37.5 | 5.1 | 120 |
| SPB 150/1 | 150 | 157.6 | 1 | 1610 | | 42 | 25 | 1 | | | 2.46 | 25 |
| SPB 150/2 | 150 | 157.6 | 2 | 2012 | | 50 | 32 | 2 | 107 | | 3.4 | 44 |
| SPB 150/3 | 150 | 157.6 | 3 | 2517 | | 60 | 45 | 2 | 107 | | 4.03 | 63 |
| SPB 150/4 | 150 | 157.6 | 4 | 2517 | | 60 | 45 | 3 | 107 | 18.5 | 4.68 | 82 |
| SPB 150/5 | 150 | 157.6 | 5 | 2517 | | 60 | 45 | 3 | 107 | 28 | | 101 |
| SPB 150/6 | 150 | 157.6 | 6 | 2517 | | 60 | 45 | 3 | 107 | 37.5 | 6.58 | 120 |
| SPB 160/1 | 160 | 167.6 | 1 | 1610 | | 42 | 25 | 1 | | | 2.92 | 25 |
| SPB 160/2 | 160 | 167.6 | 2 | 2012 | | 50 | 32 | 2 | 117 | | 3.91 | 44 |
| SPB 160/3 | 160 | 167.6 | 3 | 2517 | | 60 | 45 | 2 | 117 | | 4.38 | 63 |
| SPB 160/4 | 160 | 167.6 | 4 | 2517 | | 60 | 45 | 3 | 117 | 18.5 | 5.64 | 82 |
| SPB 160/5 | 160 | 167.6 | 5 | 2517 | | 60 | 45 | 3 | 117 | 28 | 6.6 | 101 |
| SPB 160/6 | 160 | 167.6 | 6 | 3020 | | 75 | 51 | 3 | 118 | 34.5 | 6.8 | 120 |
| SPB 160/8 | 160 | 167.6 | 8 | 3020 | | 75 | 51 | 3 | 118 | 53.5 | 7.6 | 158 |
| SPB 170/1 | 170 | 177.6 | 1 | 1610 | | 42 | 25 | 1 | | | 3.33 | 25 |
| SPB 170/2 | 170 | 177.6 | 2 | 2012 | | 50 | 32 | 2 | 127 | | 4.53 | 44 |
| SPB 170/3 | 170 | 177.6 | 3 | 2517 | | 60 | 45 | 2 | 127 | | 5.7 | 63 |
| SPB 170/4 | 170 | 177.6 | 4 | 2517 | | 60 | 45 | 3 | 127 | 18.5 | 6.65 | 82 |
| SPB 170/5 | 170 | 177.6 | 5 | 3020 | | 75 | 51 | 3 | 127 | 25 | 6.7 | 101 |
| SPB 170/6 | 170 | 177.6 | 6 | 3020 | | 75 | 51 | 3 | 127 | 34.5 | 7.6 | 120 |
| SPB 170/8 | 170 | 177.6 | 8 | 3030 | | 75 | 76 | 3 | 127 | 41 | 8.5 | 158 |
| SPB 180/1 | 180 | 187.6 | 1 | 1610 | 90 | 42 | 25 | 1 | 132 | | 2.48 | 25 |
| SPB 180/2 | 180 | 187.6 | 2 | 2517 | 120 | 60 | 45 | 1 | | | 5.6 | 44 |
| SPB 180/3 | 180 | 187.6 | 3 | 2517 | | 60 | 45 | 2 | 137 | | 6.58 | 63 |
| SPB 180/4 | 180 | 187.6 | 4 | 2517 | | 60 | 45 | 3 | 137 | 18.5 | 7.61 | 82 |
| SPB 180/5 | 180 | 187.6 | 5 | 3020 | | 75 | 51 | 3 | 137 | 25 | 7.93 | 101 |
| SPB 180/6 | 180 | 187.6 | 6 | 3030 | | 75 | 76 | 3 | 137 | 34.5 | 8.92 | 120 |
| SPB 180/8 | 180 | 187.6 | 8 | 3020 | | 75 | 51 | 3 | 137 | 41 | 10.63 | 158 |
| SPB 190/1 | 190 | 197.6 | 1 | 2012 | 104 | 50 | 32 | 8 | 147 | 3.5 | 4.73 | 25 |
| SPB 190/2 | 190 | 197.6 | 2 | 2517 | 120 | 60 | 45 | 1 | | | 6.44 | 44 |
| SPB 190/3 | 190 | 197.6 | 3 | 2517 | | 60 | 45 | 2 | 147 | | 7.56 | 63 |
| SPB 190/4 | 190 | 197.6 | 4 | 2517 | | 60 | 45 | 3 | 147 | 18.5 | 8.8 | 82 |
| SPB 190/5 | 190 | 197.6 | 5 | 3020 | | 75 | 51 | 3 | 147 | 25 | 9.05 | 101 |
| SPB 190/6 | 190 | 197.6 | 6 | 3020 | | 75 | 51 | 3 | 147 | 34.5 | 10.2 | 120 |
| SPB 190/8 | 190 | 197.6 | 8 | 3030 | | 75 | 76 | 3 | 147 | 41 | 12.2 | 158 |
| SPB 200/1 | 200 | 207.6 | 1 | 2012 | 104 | 50 | 32 | 4 | 157 | 3.5 | 4.02 | 25 |
| SPB 200/2 | 200 | 207.6 | 2 | 2517 | 117 | 60 | 45 | 8 | | | 7.49 | 44 |
| SPB 200/3 | 200 | 207.6 | 3 | 2517 | | 60 | 45 | 2 | 157 | | 8.78 | 63 |
| SPB 200/4 | 200 | 207.6 | 4 | 3020 | | 75 | 51 | 3 | 157 | 15.5 | 9.3 | 82 |
| SPB 200/5 | 200 | 207.6 | 5 | 3020 | | 75 | 51 | 3 | 157 | 25 | 10.6 | 101 |
| SPB 200/6 | 200 | 207.6 | 6 | 3020 | | 75 | 51 | 3 | 157 | 34.5 | 11.73 | 120 |
| SPB 200/8 | 200 | 207.6 | 8 | 3535 | | 90 | 89 | 3 | 157 | 34.5 | 14.68 | 158 |
| SPB 212/1 | 212 | 219.6 | 1 | 2012 | 104 | 50 | 32 | 4 | 169 | 3.5 | 4.97 | 25 |
| SPB 212/2 | 212 | 219.6 | 2 | 2517 | 117 | 60 | 45 | 8 | 169 | | 6.93 | 44 |
| SPB 212/3 | 212 | 219.6 | 3 | 2517 | 117 | 60 | 45 | 7 | 169 | | 8.21 | 63 |
| SPB 212/4 | 212 | 219.6 | 4 | 3020 | | 75 | 51 | 3 | 169 | 15.5 | 10.86 | 82 |
| SPB 212/5 | 212 | 219.6 | 5 | 3020 | | 75 | 51 | 3 | 169 | 25 | 12.25 | 101 |
| SPB 212/6 | 212 | 219.6 | 6 | 3525 | | 100 | 65 | 3 | 169 | 15.5 | 20.65 | 120 |
| SPB 224/1 | 224 | 231.6 | 1 | 2012 | 104 | 50 | 32 | 4 | 181 | 3.5 | 5.14 | 25 |
| SPB 224/2 | 224 | 231.6 | 2 | 2517 | 117 | 60 | 45 | 4 | 181 | | 7.68 | 44 |
| SPB 224/3 | 224 | 231.6 | 3 | 2517 | 117 | 60 | 45 | 5 | 181 | | 9.27 | 63 |
| SPB 224/4 | 224 | 231.6 | 4 | 3020 | | 75 | 51 | 3 | 181 | 15.5 | 12.53 | 82 |
| SPB 224/5 | 224 | 231.6 | 5 | 3020 | | 75 | 51 | 3 | 181 | 25 | 13.85 | 101 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|-----|-------------|-----|------|-------------|-----|
| SPB 224/6 | 224 | 231.6 | 6 | 3525 | | 100 | 65 | 3 | 181 | 15.5 | 15.26 | 120 |
| SPB 224/8 | 224 | 231.6 | 8 | 3525 | | 100 | 65 | 3 | 181 | 34.5 | 18.03 | 158 |
| SPB 236/1 | 236 | 243.6 | 1 | 2012 | 104 | 50 | 32 | 4 | 193 | 3.5 | 5.5 | 25 |
| SPB 236/2 | 236 | 243.6 | 2 | 2517 | 117 | 60 | 45 | 4 | 193 | | 8.75 | 44 |
| SPB 236/3 | 236 | 243.6 | 3 | 2517 | 117 | 60 | 45 | 5 | 193 | 18 | 10.05 | 63 |
| SPB 236/4 | 236 | 243.6 | 4 | 3020 | | 75 | 51 | 3 | 193 | 15.5 | 14.8 | 82 |
| SPB 236/5 | 236 | 243.6 | 5 | 3525 | | 100 | 65 | 3 | 193 | 6 | 16.14 | 101 |
| SPB 236/6 | 236 | 243.6 | 6 | 3525 | | 100 | 65 | 3 | 193 | 15.5 | 19.25 | 120 |
| SPB 250/1 | 250 | 257.6 | 1 | 2012 | 104 | 50 | 32 | 4 | 207 | 3.5 | 6.2 | 25 |
| SPB 250/2 | 250 | 257.6 | 2 | 2517 | 125 | 60 | 45 | 4 | 207 | | 8.75 | 44 |
| SPB 250/3 | 250 | 257.6 | 3 | 3020 | 144 | 75 | 51 | 5 | 207 | 18 | 12.5 | 63 |
| SPB 250/4 | 250 | 257.6 | 4 | 3020 | 144 | 75 | 51 | 5 | 207 | 15.5 | 12.6 | 82 |
| SPB 250/5 | 250 | 257.6 | 5 | 3525 | | 100 | 65 | 3 | 207 | 6 | 22.75 | 101 |
| SPB 250/6 | 250 | 257.6 | 6 | 3525 | | 100 | 65 | 3 | 207 | 15.5 | 24.25 | 120 |
| SPB 280/1 | 280 | 287.6 | 1 | 2012 | 104 | 50 | 32 | 4 | 237 | 3.5 | 6.83 | 25 |
| SPB 280/2 | 280 | 287.6 | 2 | 2517 | 125 | 60 | 45 | 4 | 237 | | 9.91 | 44 |
| SPB 280/3 | 280 | 287.6 | 3 | 3020 | 144 | 75 | 51 | 5 | 237 | 6 | 12.02 | 63 |
| SPB 280/4 | 280 | 287.6 | 4 | 3020 | 144 | 75 | 51 | 5 | 237 | 15.5 | 13.94 | 82 |
| SPB 280/5 | 280 | 287.6 | 5 | 3525 | 175 | 100 | 65 | 7 | 237 | 6 | 21.6 | 101 |
| SPB 280/6 | 280 | 287.6 | 6 | 3525 | 175 | 100 | 65 | 7 | 237 | 15.5 | 23.35 | 120 |
| SPB 300/2 | 300 | 307.6 | 2 | 2517 | 125 | 60 | 45 | 4 | 257 | | 10.6 | 44 |
| SPB 300/3 | 300 | 307.6 | 3 | 3020 | 144 | 75 | 51 | 5 | 257 | 6 | 13.2 | 63 |
| SPB 300/4 | 300 | 307.6 | 4 | 3020 | 144 | 75 | 51 | 5 | 257 | | 17.3 | 82 |
| SPB 300/6 | 300 | 307.6 | 6 | 3525 | 175 | 100 | 65 | 5 | 257 | 15.5 | 23.8 | 120 |
| SPB 315/1 | 315 | 322.6 | 1 | 2012 | 104 | 50 | 32 | 4 | 272 | 3.5 | 9.34 | 25 |
| SPB 315/2 | 315 | 322.6 | 2 | 2517 | 125 | 60 | 45 | 4 | 272 | | 12.3 | 44 |
| SPB 315/3 | 315 | 322.6 | 3 | 3020 | 144 | 75 | 51 | 5 | 272 | 6 | 14.25 | 63 |
| SPB 315/4 | 315 | 322.6 | 4 | 3525 | 175 | 100 | 65 | 5 | 272 | 3.5 | 21.7 | 82 |
| SPB 315/5 | 315 | 322.6 | 5 | 3525 | 175 | 100 | 65 | 5 | 272 | 6 | 25.3 | 101 |
| SPB 315/6 | 315 | 322.6 | 6 | 3535 | 175 | 90 | 89 | 5 | 272 | 15.5 | 24.14 | 120 |
| SPB 335/2 | 335 | 342.6 | 2 | 2517 | 125 | 60 | 45 | 4 | 292 | 3.5 | 13.4 | 44 |
| SPB 335/3 | 335 | 342.6 | 3 | 3020 | 144 | 75 | 51 | 5 | 292 | 6 | 16.12 | 63 |
| SPB 335/4 | 335 | 342.6 | 4 | 3525 | 175 | 100 | 65 | 5 | 292 | 3.5 | 22.5 | 82 |
| SPB 335/5 | 335 | 342.6 | 5 | 3535 | 175 | 90 | 89 | 5 | 292 | 6 | 26.7 | 101 |
| SPB 335/6 | 335 | 342.6 | 6 | 3535 | 175 | 90 | 89 | 5 | 292 | 15.5 | 26.5 | 120 |
| SPB 355/2 | 355 | 362.6 | 2 | 3020 | 144 | 75 | 51 | 4 | 312 | 3.5 | 15.12 | 44 |
| SPB 355/3 | 355 | 362.6 | 3 | 3020 | 144 | 75 | 51 | 5 | 312 | 6 | 17.23 | 63 |
| SPB 355/4 | 355 | 362.6 | 4 | 3535 | 175 | 90 | 89 | 4 | 312 | 3.5 | 23.13 | 82 |
| SPB 355/5 | 355 | 362.6 | 5 | 3525 | 175 | 100 | 65 | 5 | 312 | 6 | 28.87 | 101 |
| SPB 355/6 | 355 | 362.6 | 6 | 3535 | 175 | 90 | 89 | 5 | 312 | 15.5 | 28.35 | 120 |
| SPB 355/8 | 355 | 362.6 | 8 | 3525 | 175 | 100 | 65 | 5 | 312 | 34.5 | 34.06 | 158 |
| SPB 375/5 | 375 | 382.6 | 5 | 3525 | 175 | 100 | 65 | 5 | 332 | 2.5 | 29.4 | 101 |
| SPB 400/2 | 400 | 407.6 | 2 | 3020 | 150 | 75 | 51 | 4 | 357 | 3.5 | 18.73 | 44 |
| SPB 400/3 | 400 | 407.6 | 3 | 3535 | 175 | 90 | 89 | 5 | 357 | 13 | 19.85 | 63 |
| SPB 400/4 | 400 | 407.6 | 4 | 3525 | 175 | 100 | 65 | 4 | 357 | 3.5 | 26.6 | 82 |
| SPB 400/5 | 400 | 407.6 | 5 | 3525 | 175 | 100 | 65 | 5 | 357 | 6 | 30 | 101 |
| SPB 400/6 | 400 | 407.6 | 6 | 3525 | 175 | 100 | 65 | 5 | 357 | 15.5 | 32.12 | 120 |
| SPB 400/8 | 400 | 407.6 | 8 | 3525 | 210 | 100 | 65 | 5 | 357 | 28 | 37.08 | 158 |
| SPB 425/6 | 425 | 432.6 | 6 | 3525 | 175 | 100 | 65 | 5 | 379 | 15.5 | 33.5 | 120 |
| SPB 450/2 | 450 | 457.6 | 2 | 3020 | 150 | 75 | 51 | 4 | 407 | 3.5 | 16.9 | 44 |
| SPB 450/3 | 450 | 457.6 | 3 | 3525 | 175 | 100 | 65 | 4 | 407 | | 24.95 | 63 |
| SPB 450/4 | 450 | 457.6 | 4 | 3525 | 175 | 100 | 65 | 5 | 407 | | 27 | 82 |
| SPB 475/2 | 475 | 482.6 | 2 | 3020 | 150 | 75 | 51 | 4 | 407 | 3.5 | 20.1 | 44 |
| SPB 500/3 | 500 | 507.6 | 3 | 3525 | 175 | 100 | 65 | 4 | 457 | 26 | 27.55 | 63 |
| SPB 500/4 | 500 | 507.6 | 4 | 3525 | 175 | 100 | 65 | 4 | 457 | 7 | 30 | 82 |
| SPB 500/5 | 500 | 507.6 | 5 | 3525 | 175 | 100 | 65 | 5 | 457 | 16 | 34.3 | 101 |
| SPB 500/6 | 500 | 507.6 | 6 | 3525 | 210 | 100 | 65 | 5 | 457 | 27.5 | 36.6 | 120 |
| SPB 560/6 | 560 | 567.6 | 6 | 3525 | 210 | 100 | 65 | 5 | 517 | 27.5 | 45.9 | 120 |
| SPB 560/8 | 560 | 567.6 | 8 | 4030 | 242 | 110 | 114 | 5 | 517 | 22 | 63.03 | 158 |
| SPB 630/2 | 630 | 637.6 | 2 | 3020 | 150 | 75 | 51 | 4 | 587 | 16 | 28.55 | 44 |
| SPB 630/3 | 630 | 637.6 | 3 | 3525 | 175 | 100 | 65 | 4 | 587 | 26 | | 63 |
| SPB 630/4 | 630 | 637.6 | 4 | 3525 | 175 | 100 | 65 | 4 | 587 | 7 | 50.2 | 82 |
| SPB 710/2 | 710 | 717.6 | 2 | 3535 | 175 | 90 | 89 | | 664 | 3.5 | 35.4 | 44 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|-----|-------------|-----|-----|-------------|-----|
| SPB 710/3 | 710 | 717.6 | 3 | 3535 | 175 | 90 | 89 | 4 | 664 | 13 | | 63 |
| SPB 710/4 | 710 | 717.6 | 4 | 3525 | 175 | 100 | 65 | 4 | 664 | 3.5 | 57.01 | 82 |
| SPB 710/6 | 710 | 717.6 | 6 | 4535 | 210 | 110 | 102 | 5 | 664 | 9 | 78.47 | 120 |
| SPB 710/8 | 710 | 717.6 | 8 | 4545 | 242 | 110 | 114 | 5 | 664 | 22 | 94.48 | 158 |
| SPB 800/6 | 800 | 807.6 | 6 | 4535 | 242 | 110 | 114 | 5 | 754 | 3 | 84.35 | 120 |
| SPB 800/8 | 800 | 807.6 | 8 | 4535 | 242 | 110 | 114 | 5 | 754 | 22 | 95.54 | 158 |

TAPER BUSH V-BELT PULLEYS “SPC” SECTION

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|----|-------------|-----|------|-------------|-----|
| SPC 200/3 | 200 | 210.2 | 3 | 2517 | | 60 | 45 | 3 | 143 | 20 | 10.3 | 85 |
| SPC 200/4 | 200 | 210.2 | 4 | 3020 | | 75 | 51 | 3 | 143 | 30 | 11.4 | 111 |
| SPC 200/5 | 200 | 210.2 | 5 | 3525 | | 90 | 65 | 3 | 143 | 35.5 | 16.1 | 136 |
| SPC 200/6 | 200 | 210.2 | 6 | 3525 | | 90 | 65 | 3 | 143 | 48.5 | 14.2 | 162 |
| SPC 200/8 | 200 | 210.2 | 8 | 3525 | | 90 | 65 | 3 | 143 | 74 | 18.85 | 213 |
| SPC 200/8 | 200 | 210.2 | 8 | 3535 | | 90 | 65 | 3 | 143 | 74 | 19.2 | 213 |
| SPC 212/3 | 212 | 222.2 | 3 | 3020 | | 75 | 51 | 3 | 155 | 17 | 11.1 | 85 |
| SPC 212/4 | 212 | 222.2 | 4 | 3020 | | 75 | 51 | 3 | 155 | 30 | 13.05 | 111 |
| SPC 212/6 | 212 | 222.2 | 6 | 3535 | | 90 | 65 | 3 | 155 | 48.5 | 20.65 | 162 |
| SPC 224/3 | 224 | 234.2 | 3 | 3020 | | 75 | 51 | 3 | 167 | 17 | 12.7 | 85 |
| SPC 224/4 | 224 | 234.2 | 4 | 3525 | | 90 | 65 | 3 | 167 | 23 | 16.3 | 111 |
| SPC 224/5 | 224 | 234.2 | 5 | 3525 | | 90 | 65 | 3 | 167 | 35.5 | 16.66 | 136 |
| SPC 224/6 | 224 | 234.2 | 6 | 3525 | | 90 | 65 | 3 | 167 | 48.5 | 18.73 | 162 |
| SPC 224/8 | 224 | 234.2 | 8 | 3525 | | 90 | 65 | 3 | 167 | 74 | 24.77 | 213 |
| SPC 236/3 | 236 | 246.2 | 3 | 3020 | | 75 | 51 | 3 | 179 | 17 | 14.35 | 85 |
| SPC 236/4 | 236 | 246.2 | 4 | 3525 | | 90 | 65 | 3 | 179 | 23 | 18.87 | 111 |
| SPC 236/5 | 236 | 246.2 | 5 | 3535 | | 90 | 65 | 3 | 179 | 35.5 | 16.65 | 136 |
| SPC 236/6 | 236 | 246.2 | 6 | 3525 | | 90 | 65 | 3 | 179 | 48.5 | 23.16 | 162 |
| SPC 236/8 | 236 | 246.2 | 8 | 3525 | | 90 | 65 | 3 | 179 | 74 | 27.94 | 213 |
| SPC 250/3 | 250 | 260.2 | 3 | 3020 | | 75 | 51 | 3 | 193 | 17 | 16.45 | 85 |
| SPC 250/4 | 250 | 260.2 | 4 | 3525 | | 90 | 65 | 3 | 193 | 23 | 22.57 | 111 |
| SPC 250/5 | 250 | 260.2 | 5 | 3525 | | 90 | 65 | 3 | 193 | 35.5 | 22 | 136 |
| SPC 250/6 | 250 | 260.2 | 6 | 3525 | | 90 | 65 | 3 | 193 | 48.5 | 27.2 | 162 |
| SPC 250/8 | 250 | 260.2 | 8 | 3525 | | 90 | 65 | 3 | 193 | 74 | 31.5 | 213 |
| SPC 265/3 | 265 | 275.2 | 3 | 3525 | | 90 | 65 | 3 | 208 | 10 | 23.5 | 85 |
| SPC 265/6 | 265 | 275.2 | 6 | 3525 | | 90 | 65 | 3 | 208 | 48.5 | 27.55 | 162 |
| SPC 265/8 | 265 | 275.2 | 8 | 3525 | | 90 | 65 | 3 | 208 | 74 | 36.15 | 213 |
| SPC 280/3 | 280 | 290.2 | 3 | 3525 | | 90 | 65 | 3 | 223 | 10 | 22.85 | 85 |
| SPC 280/4 | 280 | 290.2 | 4 | 3525 | | 90 | 65 | 3 | 223 | 23 | 25.42 | 111 |
| SPC 280/5 | 280 | 290.2 | 5 | 3525 | | 90 | 65 | 3 | 223 | 35.5 | 28.45 | 136 |
| SPC 280/6 | 280 | 290.2 | 6 | 3525 | 175 | 90 | 65 | 7 | 223 | 48.5 | 31.17 | 162 |
| SPC 280/8 | 280 | 290.2 | 8 | 3525 | | 90 | 65 | 3 | 223 | 74 | 39.85 | 213 |
| SPC 300/3 | 300 | 310.2 | 3 | 3525 | 175 | 90 | 65 | 5 | 243 | 10 | 20.35 | 85 |
| SPC 300/4 | 300 | 310.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 243 | 23 | 25.55 | 111 |
| SPC 300/5 | 300 | 310.2 | 5 | 3525 | | 90 | 65 | 3 | 243 | 35.5 | 26.5 | 136 |
| SPC 300/6 | 300 | 310.2 | 6 | 3525 | 175 | 90 | 65 | 7 | 243 | 48.5 | 31.85 | 162 |
| SPC 300/8 | 300 | 310.2 | 8 | 3525 | | 100 | 65 | 3 | 243 | 74 | 42.73 | 213 |
| SPC 315/3 | 315 | 325.2 | 3 | 3525 | 175 | 90 | 65 | 5 | 258 | 10 | 21.9 | 85 |
| SPC 315/3 | 315 | 325.2 | 3 | 3535 | 175 | 90 | 89 | 5 | 258 | 2 | 23.4 | 85 |
| SPC 315/4 | 315 | 325.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 258 | 23 | 25 | 111 |
| SPC 315/5 | 315 | 325.2 | 5 | 3535 | 175 | 90 | 65 | 5 | 258 | 35.5 | 28.27 | 136 |
| SPC 315/6 | 315 | 325.2 | 6 | 3525 | 175 | 90 | 65 | 5 | 258 | 48.5 | 31.25 | 162 |
| SPC 315/8 | 315 | 325.2 | 8 | 3525 | | 100 | 65 | 3 | 258 | 74 | 43.67 | 213 |
| SPC 335/3 | 335 | 345.2 | 3 | 3535 | 175 | 90 | 65 | 5 | 283 | 10 | 24.1 | 85 |
| SPC 335/4 | 335 | 343.6 | 4 | 3525 | 175 | 90 | 65 | 5 | 283 | 23 | 28.3 | 111 |
| SPC 335/5 | 335 | 345.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 283 | 35.5 | 29.7 | 136 |
| SPC 335/8 | 335 | 345.2 | 8 | 3525 | 210 | 100 | 65 | 5 | 278 | 74 | 46.8 | 213 |
| SPC 355/3 | 355 | 365.2 | 3 | 3525 | 175 | 90 | 65 | 5 | 298 | 10 | 25.82 | 85 |
| SPC 355/4 | 355 | 365.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 298 | 23 | 33 | 111 |
| SPC 355/5 | 355 | 365.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 298 | 35.5 | 33.85 | 136 |
| SPC 355/6 | 355 | 365.2 | 6 | 3525 | 175 | 90 | 65 | 5 | 298 | 48.5 | 37.25 | 162 |

| Part No | B | C | Z | Bush No | E | A Max | G | Pulley Type | D | H | Weight (KG) | F |
|-----------|-----|-------|---|---------|-----|-------|-------|-------------|-----|------|-------------|-----|
| SPC 355/8 | 355 | 365.2 | 8 | 3525 | 210 | 100 | 65 | 7 | 298 | 74 | 49.3 | 213 |
| SPC 375/3 | 375 | 385.2 | 3 | 3525 | 175 | 90 | 65 | 5 | 318 | 10 | 27.7 | 85 |
| SPC 375/4 | 375 | 385.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 318 | 23 | 33.5 | 111 |
| SPC 375/5 | 375 | 385.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 318 | 35.5 | 34.4 | 136 |
| SPC 375/5 | 375 | 385.2 | 5 | 3535 | 175 | 90 | 89 | 5 | 318 | 23.5 | 35.6 | 136 |
| SPC 375/6 | 375 | 385.2 | 6 | 3525 | 210 | 100 | 65 | 5 | 318 | 48.5 | 39.75 | 162 |
| SPC 375/8 | 375 | 385.2 | 8 | 4030 | 240 | 110 | 76 | 5 | 218 | 68.5 | 56.9 | 213 |
| SPC 400/3 | 400 | 410.2 | 3 | 3525 | 175 | 90 | 65 | 5 | 343 | 10 | 32.52 | 85 |
| SPC 400/4 | 400 | 410.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 343 | 23 | 36.9 | 111 |
| SPC 400/5 | 400 | 410.2 | 5 | 3525 | 175 | 90 | 65 | 5 | 343 | 35.5 | 37.45 | 136 |
| SPC 400/6 | 400 | 410.2 | 6 | 3525 | 210 | 100 | 65 | 5 | 343 | 48.5 | 47.1 | 162 |
| SPC 400/8 | 400 | 410.2 | 8 | 4030 | 240 | 110 | 76 | 5 | 243 | 68.5 | 61.5 | 213 |
| SPC 425/4 | 425 | 435.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 368 | 23 | 37.6 | 111 |
| SPC 425/6 | 425 | 435.2 | 6 | 4545 | 240 | 110 | 114.3 | 5 | 268 | 23 | 53.1 | 162 |
| SPC 425/8 | 425 | 435.2 | 8 | 4535 | 240 | 110 | 89 | 5 | 268 | 62 | 67.65 | 213 |
| SPC 450/4 | 450 | 460.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 393 | 23 | 41.6 | 111 |
| SPC 450/5 | 450 | 460.2 | 5 | 3525 | 175 | 100 | 65 | 5 | 393 | 35.5 | 48.24 | 136 |
| SPC 450/5 | 450 | 460.2 | 5 | 4040 | 210 | 100 | 101.6 | 5 | 393 | 17.2 | 49.2 | 136 |
| SPC 450/6 | 450 | 460.2 | 6 | 4535 | 240 | 110 | 89 | 5 | 393 | 36.5 | 60.98 | 162 |
| SPC 450/8 | 450 | 460.2 | 8 | 4535 | 265 | 125 | 89 | 5 | 393 | 62 | 81 | 213 |
| SPC 475/6 | 475 | 485.2 | 6 | 4535 | 240 | 110 | 114.3 | 5 | 418 | 23 | 61.3 | 162 |
| SPC 475/8 | 475 | 485.2 | 8 | 4535 | 265 | 125 | 89 | 5 | 418 | 62 | 56.7 | 213 |
| SPC 500/4 | 500 | 510.2 | 4 | 3525 | 175 | 90 | 65 | 5 | 443 | 23 | 45.45 | 111 |
| SPC 500/5 | 500 | 510.2 | 5 | 4040 | 210 | 100 | 101.6 | 5 | 443 | 17.2 | 55.69 | 136 |
| SPC 500/6 | 500 | 510.2 | 6 | 4535 | 240 | 110 | 89 | 5 | 443 | 36 | 67.25 | 162 |
| SPC 500/8 | 500 | 510.2 | 8 | 4535 | 265 | 125 | 89 | 5 | 443 | 62 | 87.8 | 213 |
| SPC 530/8 | 530 | 540.2 | 8 | 5050 | 265 | 125 | 89 | 5 | 473 | 62 | 89.31 | 213 |
| SPC 560/6 | 560 | 570.2 | 6 | 4535 | 265 | 110 | 89 | 5 | 503 | 36 | 81.78 | 162 |
| SPC 560/8 | 560 | 570.2 | 8 | 4535 | 265 | 125 | 89 | 5 | 503 | 62 | 98.4 | 213 |
| SPC 630/6 | 630 | 640.2 | 6 | 4535 | 265 | 110 | 89 | 5 | 573 | 36 | 101 | 162 |
| SPC 630/6 | 630 | 640.2 | 6 | 5050 | 265 | 125 | 127 | 5 | 573 | 17 | 102.2 | 162 |
| SPC 630/8 | 630 | 640.2 | 8 | 4535 | 265 | 125 | 89 | 5 | 573 | 62 | 105.87 | 213 |
| SPC 800/6 | 800 | 810.2 | 6 | 5040 | 265 | 125 | 101.6 | 5 | 736 | 30 | 136.3 | 162 |
| SPC 800/8 | 800 | 810.2 | 8 | 5040 | 265 | 125 | 101.6 | 5 | 736 | 55.7 | 157.16 | 213 |